

# Recent Development Issues in Nanotechnology for Gas Storage



Dina S Ahmed, Hadeel Adil and Emad Yousif\*

Department of Chemistry, College of Science, Al-Nahrain University, Iraq

Received: 📅 September 04, 2018; Published: 📅 September 10, 2018


\*Corresponding author: Emad Yousif, Department of Chemistry, College of Science, Al-Nahrain University, Baghdad, Iraq

## Abstract

Nanomaterials and their derived sub-groups are emerging into the advanced materials field due to their high free porous volume, structural regularity, robustness, hydrothermal stability, and functional variety. They present high gas uptake capacities and presence of stabilized active functions in the framework. A significant technical challenge has been recognized as the development of a viable method to efficiently trap hydrogen, methane and carbon dioxide gas molecules in a confined space for various applications.

**Keywords:** Nanomaterials; Gas Storage; Microporous Organic Polymers; Hydrogen; Carbon Dioxide; Methane; Carbon Nanotubes; Clean Energy

## Introduction




**Figure 1:** Immobilization of UMNPs to Various High-Surface-Area Materials.


During the past decade, nano-materials have emerged as the new building blocks to construct light energy harvesting assemblies. Organic and inorganic hybrid structures that exhibit improved selectivity and efficiency toward catalytic processes have been designed. Size dependent properties such as size quantization effects in semiconductor nanoparticles and quantized charging effects in metal nanoparticles provide the basis for developing

new and effective systems [1,2] (Figure 1). The development of microporous organic polymers (MOPs) with pore size less than 2nm has attracted a great deal of attention [3]. These microporous materials possessing high surface area, low skeleton density, and chemical tunability have opened the door to many potential applications in the area of heterogeneous catalysis [4] (Figure 2). Light harvesting [5], gas separation and storage [6]. For MOPs, the permanent porosity derives from backbone rigidity and space-inefficient packing of the polymer chains [7]. In this regard, many rigid and contorted monomers such as spirocyclic and tetrahedral compounds have been investigated as successful building blocks in the preparation of soluble polymers of intrinsic microporosity (PIMs) [8] and other insoluble MOPs [9]. The particular advantage of MOPs is to introduce a wide range of useful chemical functionalities into the pores [10]. Furthermore, the embedding of transition metal sites into MOPs could open up second-generation porous materials with useful combined chemical and physical properties [10] and offers potential as heterogeneous catalysts for various organic reactions such as general hydrogenations [11], oxidation of thiols [12], Suzuki Miyaura couplings [13] and so forth [14]. Metal catalytic moieties into functional MOPs has at least two advantages: i) the homogeneous distribution of active metal nanoparticles (NPs) is enabled by the strong interaction with the functional porous supports, which has been believed to give effective catalytic activity and selectivity [15]; ii) the metal

leaching could be greatly suppressed in the process of catalyst separation for recycling [16]. Therefore it is highly desirable to investigate methods to incorporate a variety of functionalities into MOPs.



### Hydrogen Storage in Nanomaterials





Hydrogen gas is a clean energy source, which can replace fossil fuels while the need for this clean and sustainable energy has been greater [17]. One hopeful way of hydrogen generation increasing is the use of transition metal (0) nanoclusters as catalysts because a large percentage of atoms lie on the surface of activity nanoclusters [18]. Co, Cu, Ni and Fe were chosen as they are among the reactive transition metals toward hydrolysis of boron-based hydrides such as  $\text{NaBH}_4$ . The cheaper transition metal catalysts generally exhibit only moderate catalytic activity. A variety of preparative methods are available for obtaining polymer-stabilized metal nanoclusters [19]. The most widely used synthetic method involves reduction of the metal ion in zero valent state within the polymer medium. Followed by coalescence of the polymer onto the formed nanoclusters a strong stabilizer such as polymer is needed to prevent agglomeration of metal (0) nanoclusters in aqueous solution at high pH medium, acting as a catalyst in the hydrolysis of

sodium borohydride [20]. Next attempt was done by investigation of PVP role on size, morphology and catalytic activity of crystallized Co-La-Zr-B nano powder [21] (Figure 3).

Investigate role of oleic acid as stabilizing agent on size and morphology of quaternary nano catalyst [22]. Since their discovery [23,24] carbon nanotubes (CNTs) have continued to attract a huge interest worldwide because of their peculiar physical and chemical properties [25]. In particular, the adsorption behavior of a single-wall carbon nanotube (SWNT), be it chemi- or physisorption, substantially differs from that of graphite or fullerenes, and critically depends on whether the inner or outer surface is exposed and on the tube chirality and diameter. Understanding its characteristics and being able to predict relevant adsorption configurations are important for complementing ongoing experimental efforts in developing covalent sidewall functionalization [26], applications of CNTs as gas sensors [27] and hydrogen storage materials [28].


### Carbon Dioxide Storage in Nanomaterials



$\text{CO}_2$  is one of the major greenhouse gases, and its concentration has been on the rise from 280 ppm to 370 ppm, such that the rising amplitude of the global earth temperature varies from  $0.6^\circ\text{C}$  to  $1.0^\circ\text{C}$  during the same period of time [29,41,42] (Figure 4). Hydroxyl functionalized MOPs provide the materials with

metal ions coordinating ability, ion-exchange as well as reducing properties, and exhibit significant CO<sub>2</sub> uptakes at atmospheric pressure even though their surface areas are moderate [30]. For example, a facile route involving phenolic resin inspired chemistry to hyper-cross-linked MOPs with hydroxyl functional groups has been demonstrated by Kanatzidis [30]. Those polymeric frameworks based on the polymerization of phloroglucinol and 1,5-dihydroxynaphthalene with several benzaldehydes under solvothermal conditions capture a maximum of 18 wt% CO<sub>2</sub> at 273K and 1 bar, and deposit Ag NPs in situ inside the pores. Catechol and its derivatives have been widely used as ligands or chelating agents in coordination chemistry [31] (Figure 5).


### CH<sub>4</sub> Storage in Nanomaterials



**Figure 6:** Microstructures of specimens sintered for 2h at 1 400 °C (a) and 1 600 °C (b).

As with hydrogen, methane is also considered a clean energy gas. Compared to petroleum oil, it can provide much more energy because of its higher hydrogen-to-carbon ratio and has much lower carbon emission. In addition, deposits of methane-containing natural gas are more widespread globally than those of petroleum oil, and its refinement (purification) to an energy fuel is much simpler than that of crude petroleum oil to gasoline or diesel fuels. Methane is also produced by decomposition of organic waste and by bacteria in the guts of ruminants and termites. In terms of near-term practical utilization and innovations necessary for commercialization, methane appears to be a more promising alternative for mobile applications [32]. As an exceptional member of alkaline-earth oxides, beryllium oxide (BeO) can be arisen as an important covalent component in the initial ionic Be-O bond [33]. Synthesized BeO nanoparticles are insulators with a wide band gap about 10.6eV [34] (Figure 6). Recently, the adsorption of some gases such as H<sub>2</sub>O, CH<sub>4</sub>, NH<sub>3</sub>, H<sub>2</sub> and CO on BeO nanomaterial has been studied. Nonetheless, several materials, like as aluminum

nitride (AlN) nanostructures [35], boron nitride (BN) systems [36] and fullerene clusters [37] boron buckyballs and sheets, B80 [38] have been tested experimentally and theoretically as potential storage materials for hydrogen [39-42] (Figure 7).



**Figure 7:** Synergistic Catalysis of Metal-Organic Framework-Immobilized Au-Pd.

### Conclusion

Nanomaterials, all suitable morphological characteristics and physicochemical properties to carry out a variety of applications are present: homogeneous porous distribution, high hydrothermal stability and robustness, peculiar hydrophobic-hydrophilic nature, structural regularity, and capability to incorporate different active functions in the planar organic builders. They have shown great promise for the adsorptive storage of hydrogen, methane, and carbon dioxide in clean energy applications.

### References

1. A Henglein (1989) Small-particle research: Physicochemical properties of extremely small colloidal metal and semiconductor particles. *Chem Rev* 89(8): 1861-1873.
2. ML Steigerwald, LE Brus (1990) Semiconductor crystallites: A class of large molecules. *Acc Chem Res* 23(6): 183-188.
3. R Dawson, AI Cooper, DJ Adams (2012) Nanoporous organic polymer networks. *Prog Polym Sci* 37(4): 530-563.
4. P Kaur, JT Hupp, ST Nguyen (2011) Porous Organic Polymers in Catalysis: Opportunities and Challenges. *ACS Catal* 1(7): 819-835.
5. L Chen, Y Honsho, S Seki, DL Jiang (2010) Light-Harvesting Conjugated Microporous Polymers: Rapid and Highly Efficient Flow of Light Energy with a Porous Polyphenylene Framework as Antenna. *J Am Chem Soc* 132(19): 6742-6748.
6. HB Park, CH Jung, YM Lee, AJ Hill, SJ Pas, et al. (2007) Polymers with Cavities Tuned for Fast Selective Transport of Small Molecules and Ions *Science* 318: 254-258.
7. NB McKeown, PM Budd, KJ Msayib, BS Ghanem, HJ Kingston, et al. (2005) Polymers of Intrinsic Microporosity (PIMs): Bridging the Void between Microporous and Polymeric Materials. *Chem Eur J* 11(9): 2610-2620.
8. PM Budd, NB McKeown, D Fritsch (2005) Free volume and intrinsic microporosity in polymers. *J Mater Chem* 15: 1977-1986.

9. T Ben, H Ren, SQ Ma, DP Cao, JH Lan, et al. (2009) Targeted Synthesis of a Porous Aromatic Framework with High Stability and Exceptionally High Surface Area. *Angew Chem Int Ed* 48(50): 9457-9460.
10. JX Jiang, C Wang, A Laybourn, T Hasell, R Clowes, et al. (2011) Metal-Organic Conjugated Microporous Polymers. *Angew Chem Int Ed* 123: 1104-1107.
11. J Schmidt, J Weber, JD Epping, M Antonietti, A Thomas (2009) Microporous Conjugated Poly (thienylene arylene) Networks. *Adv Mater* 21(6): 702-705.
12. L Chen, Y Yang, DL Jiang (2010) CMPs as Scaffolds for Constructing Porous Catalytic Frameworks: A Built-in Heterogeneous Catalyst with High Activity and Selectivity Based on Nanoporous Metalloporphyrin Polymers. *J Am Chem Soc* 132(26): 9138-9143.
13. P Zhang, ZH Weng, J Guo, CC Wang (2011) Solution-Dispersible, Colloidal, Conjugated Porous Polymer Networks with Entrapped Palladium Nanocrystals for Heterogeneous Catalysis of the Suzuki-Miyaura Coupling Reaction. *Chem Mater* 23(23): 5243-5249.
14. Z Xie, C Wang, KE deKrafft, W Lin (2011) Highly Stable and Porous Cross-Linked Polymers for Efficient Photocatalysis. *J Am Chem Soc* 133(7): 2056-2059.
15. CE Chan-Thaw, A Villa, P Katekomol, DS Su, A Thomas, et al. (2010) Covalent Triazine Framework as Catalytic Support for Liquid Phase Reaction. *Nano Lett* 10(2): 537-541.
16. YM Lu, HZ Zhu, WG Li, B Hu, SH Yu (2013) Size-controllable palladium nanoparticles immobilized on carbon nanospheres for nitroaromatic hydrogenation. *J Mater Chem A* 1: 3783-3788.
17. L Schlapbach, A Züttel (2001) Hydrogen-storage materials for mobile applications. *Nature* 414: 353-358.
18. S Ozkar (2009) ChemInform Abstract: Enhancement of catalytic activity by increasing surface area in heterogeneous catalysis. *Appl Surf Sci* 256(5): 1272-1277.
19. ABR Mayer (2001) Colloidal metal nanoparticles dispersed in amphiphilic polymers. *Polym Adv Technol* 12(1-2): 96-106.
20. YT Vu, JE Mark (2004) Polymer-protected palladium nanoparticles. Morphologies and catalytic selectivities. *Colloid Polym Sci* 282(6): 613-619.
21. MH Loghmani, AF Shojaei (2013) Hydrogen generation from hydrolysis of sodium borohydride by cubic Co-La-Zr-B nano particles as novel catalyst. *Int J Hydrogen Energy* 38: 10470-10478.
22. MH Loghmani, AF Shojaei (2014) Hydrogen production through hydrolysis of sodium borohydride: oleic acid stabilized Co-La-Zr-B nanoparticle as a novel catalyst. *Energy* 68: 152-159.
23. S Iijima (1991) Helical microtubules of graphitic carbon. *Nature* 354: 56-58.
24. A Alwash, H Adil, Z Hussain, E Yousif (2018) Potential of Carbon Nanotubes in Enhance of Photocatalyst Activity. *Arch Nano Op Acc J* 1(3): 65-70.
25. T Tasis, N Tagmatarchis, A Bianco, M Prato (2006) Chemistry of Carbon Nanotubes. *Chem Rev* 106(3): 1105-1136.
26. A Hirsch (2002) Functionalization of Single-Walled Carbon Nanotubes. *Angew Chem Int Ed* 41: 1853-1859.
27. J Kong, M Chapline, H Dai (2001) Functionalized Carbon Nanotubes for Molecular Hydrogen Sensors. *Adv Mater* 13(18): 1384-1386.
28. F Lamari Darkrim, P Malbrunot, GP Tartaglia (2002) Review of hydrogen storage by adsorption in carbon nanotubes. *Int J Hydrogen Energy* 27(2): 193-202.
29. AL Yaumi, MZA Bakar, BH Hameed (2017) Recent advances in functionalized composite solid materials for carbon dioxide capture. *Energy* 124(1): 461-480.
30. AP Katsoulidis, MG Kanatzidis (2011) Phloroglucinol Based Microporous Polymeric Organic Frameworks with -OH Functional Groups and High CO<sub>2</sub> Capture Capacity. *Chem Mater* 23(7): 1818-1824.
31. E Faure, C Falentin-Daudre, C Jerome, J Lyskawa, D Fournier, et al. (2013) Catechols as versatile platforms in polymer chemistry. *Prog Polym Sci* 38(1): 236-270.
32. S Ma (2008) Gas Adsorption Applications of Porous Metal-Organic Frameworks. *Degruyter* 81(12).
33. K Joshi, R Jain, R Pandya, B Ahuja, B Sharma (1999) Compton profile study of bonding in BeO. *J Chem Phys* 111: 163-167.
34. Xf Wang, Rc Wang, Cq Peng, Tt Li, L Bing (2010) Synthesis and sintering of beryllium oxide nanoparticles. *Prog Natur Sci Mater Int* 20: 81-86.
35. Q Wang, Q Sun, P Jena, Y Kawazoe (2009) Potential of AlN nanostructures as hydrogen storage materials. *ACS nano* 3(3): 621-626.
36. AA Peyghan, SA Aslanzadeh, A Samiei (2014) Ammonia borane reaction with a BN nanotube: a hydrogen storage route, *Monatshefte für Chemie-Chem. Month* 145(7): 1083-1087.
37. YH Kim, Y Zhao, A Williamson, MJ Heben, S Zhang (2006) Nondissociative adsorption of H<sub>2</sub> molecules in light-element-doped fullerenes. *Phys Rev Lett* 96(1): 016102.
38. S Er, GA De Wijs, G Brocks (2009) DFT study of planar boron sheets: a new template for hydrogen storage. *J Phys Chem C* 113(43): 18962-18967.
39. X Gu, ZH Lu, HL Jiang, T Akita, Q Xu (2011) Synergistic catalysis of metal-organic framework-immobilized Au-Pd nanoparticles in dehydrogenation of formic acid for chemical hydrogen storage. *J Am Chem Soc* 133(3): 11822-11825.
40. Z Qi-Long, X Qiang (2016) Immobilization of Ultrafine Metal Nanoparticles to High-Surface-Area Materials and Their Catalytic Applications. *Chem* 1(2): 220-245.
41. DS Ahmed, GA El-Hiti, E Yousif, AA Ali, AS Hameed (2018) Design and synthesis of porous polymeric materials and their applications in gas capture and storage: a review. *Journal of Polymer Research* 25: 75.
42. DS Ahmed, GA El-Hiti, E Yousif, AS Hameed, M Abdalla (2017) New eco-friendly phosphorus organic polymers as gas storage media. *Polymers* 9(8): 336.




This work is licensed under Creative Commons Attribution 4.0 License

To Submit Your Article Click Here:

[Submit Article](#)

DOI: [10.32474/AOICS.2018.01.000121](https://doi.org/10.32474/AOICS.2018.01.000121)



### Archives of Nanomedicine: Open Access Journal

#### Assets of Publishing with us

- Global archiving of articles
- Immediate, unrestricted online access
- Rigorous Peer Review Process
- Authors Retain Copyrights
- Unique DOI for all articles